

## Cochlear Implant Assistive Listening Devices

There are assistive listening devices that can be used by CI individuals such as a phone adapter or FM system to enhance their ability to hear a conversation on a one to one basis, in a group, to listen to a speaker at a conference or to enhance their opportunity to participate in a meeting. This equipment can be used in a variety of situations for example systems can be used to amplify television for a CI user without disturbing the listening comfort of others in the room. Contact the companies below for further information. Inclusion on this list does not constitute endorsement of these products and exclusion does not imply disapproval.

### Assistive Devices compatible with Cochlear Implants

**Assistive Listening Device System. Inc.**

#2-11220 Voyageur Way

Richmond, BC V X3E1

1-604-244-0269 Voice

1-800-665-ALDS Voice

1-604-270-6308 Fax

http://[www.alds.com](http://www.alds.com)

3880 Cypress Drive

Petaluma, CA 94954

800-227-0735 Voice (CA)

800-277-0735 x291TTY

Web: <http://www.phonicear.com>**AUDEX**

710 Standard Street

Longview, TX 75604

800-237-0716 TTY/Voice

800-283-3974 Fax

email: [vbeatty@iamerica.net](mailto:vbeatty@iamerica.net)Web: <http://www.audex.com>**Radio Shack**

Tandy Corporation

1800 One Tandy Ctr.

100 Throckmorton St.

Fort Worth, TX 76102

1-800-821-1959 Voice

817-415-3011 Voice

817-390-3688 Fax

Web: <http://www.radioshack.com>**Audio Enhancement**

12613 South Redwood Rd.

Riverton, UT 84065

801-254-9263 TTY/Voice

801-254-3802 Fax

email: [jeff@audioenhancement.com](mailto:jeff@audioenhancement.com)Web: <http://www.audioenhancement.com>**William Sound**10399 West 70<sup>th</sup> Street

Eden Prairie, MN 55344

800-328-6190 TTY/Voice

612-943-2174 Fax

email: [info@williamssound.com](mailto:info@williamssound.com)Web: <http://www.williamssound.com>**Phonic Ear**

One Capitol Hill

Ground Floor

Providence, RI 02908

[WWW.CDHH.RI.GOV](http://WWW.CDHH.RI.GOV)

401.222.1204 Voice

401.222.1205 TTY

401.222.5736 Fax